

Dianthus gratianopolitanus RoseQuartz

Item no.: L3315P

Crop Time

Spring: 11 - 13 weeks

Height

30cm

Exposure

Sun - Partial shade

Seed Form

BeGreen Pelleting

Heat Zone

9 - 1

Hardiness Zone

4 - 9

Best Uses

Landscape

Culture guide

Usage

Perennial, first year flowering. Pot plant for sales from May onwards, for use in containers, borders, and rock gardens.

Sow time

February-April for flowering in May-July; August-September for flowering in the following year

Sowing method

Multiple sow, 3-5 seeds per plug. Alternatively, direct sow in the final pot.

Germination

10-12 days at 70-75 °F (21-24 °C).

Growing on

Transplant plugs in late winter through early spring.

Media

Use a friable, coarse-fibered substrate with a pH of 5.5-5.8.

Temperature

15-18 °C / 59-64 °F, start ventilating at 20 °C / 68 °F. A minimum temperature of 15 °C is required for flowering to occur. Plants may be overwintered at 3-5 °C / 37-41 °F.

Stage I Starts with the radicle breaking through the testa. The roots are touching the medium. Ends with fully developed cotyledons.

Stage II Starts from fully developed cotyledons. Ends with the fully developed true leaf or true leaf pair.

Stage III Starts from the fully developed true leaf or true leaf pair and ends with 80% of the young plants being marketable.

Stage IV All young plants are ready for sale and in the process of being hardened off. This stage lasts about 7 days.

The cultural recommendations are based on results from trials conducted under Central European conditions. Different conditions in other parts of the world may lead to deviations in results achieved.