



*Cosmos bipinnatus*

## Casanova



- Compact habit for pot and container production
- Long flower stems with huge flowers
- Great border plant
- Short crop time

<b>Crop Time</b>	Spring: 7 - 10 weeks
<b>Height Ø</b>	12 " / 30 cm
<b>Exposure</b>	Sun - Partial shade
<b>Seed Form</b>	Raw Seed
<b>Product Use</b>	Bedding, Landscape

## TECHNICAL GUIDE

*Cosmos bipinnatus Casanova*

Stage I Starts with the radicle breaking through the testa. The roots are touching the medium. Ends with fully developed cotyledons.

Stage II Starts from fully developed cotyledons. Ends with the fully developed true leaf or true leaf pair.

Stage III Starts from the fully developed true leaf or true leaf pair and ends with 80% of the young plants being marketable.

Stage IV All young plants are ready for sale and in the process of being hardened off. This stage lasts about 7 days.

The cultural recommendations are based on results from trials conducted under Central European conditions. Different conditions in other parts of the world may lead to deviations in results achieved.

## COLORS OF THE SERIES

*Cosmos bipinnatus Casanova*



**White**  
CB0204R



**Red**  
CB0202R



**Pink**  
CB0201R



**Violet**  
CB0203R



**Mix**  
CB0299R