

Viola wittrockiana F₁

Inspire[®] Plus

Yellow Purple Wing

Item no.: VW0211R/E



Most Advanced Breeding in Large-Flowered Pansies

- Ideal for spring and fall production
- Uniform flower timing and habit across the series
- Short flower stems, compact plants – no stretching!
- Outstanding seedling quality

Technical Guide: [Click here](#)

All information in our technical guide is based on our own trials and would therefore be as guideline only. Detailed cultivation aspects vary depending on climate, location, time of year and environmental conditions. Benary expressly disclaims any responsibility for the content of such data/information and makes no representation or warranty for the cultivation of any products listed. It is recommended that growers conduct a trial of products under their own conditions.

| | |
|------------------|---|
| Crop Time | Spring: 25 - 26 weeks , Autumn: 12 - 14 weeks |
| Height ∅ | 7 " / 18 cm |
| Width ∅ | 7 " / 18 cm |
| Exposure | Sun |
| Seed Form | Raw Seed, BeGreen Priming |
| Best Uses | Bedding, Landscape |

CULTURE GUIDE

Viola wittrockiana F₁ Inspire® Plus

Usage

Packs, Pots, Mixed Containers and Landscape/Mass plantings

Sowing method

1 seed per plug

Germination

Optimum conditions for seedling development, beginning on the day of sowing until radicle emergence. Expect radicle emergence in 2-4 days.

Temperature

65-68 °F (18-20 °F) until radicle emergence, then lower the temperature gradually to 62-65 °F (17-18 °C).

Fertilization

Begin feeding early using a calcium based fertilizer at lower rates to keep the an adequate amount of calcium and nitrogen supplied to the seedlings. On days 5-7 begin feeding with a calcium based fertilizer (14-2-14, 13-2-13, 15-5-15, 17-5-17) at 50-60 ppm. Maintain the EC between 0.5 and 0.75. Keep phosphorous levels between 6-8 ppm and boron supplied at 0.5 ppm.

Stage I Starts with the radicle breaking through the testa. The roots are touching the medium. Ends with fully developed cotyledons.

Stage II Starts from fully developed cotyledons. Ends with the fully developed true leaf or true leaf pair.

Stage III Starts from the fully developed true leaf or true leaf pair and ends with 80% of the young plants being marketable.

Stage IV All young plants are ready for sale and in the process of being hardened off. This stage lasts about 7 days.

The cultural recommendations are based on results from trials conducted under Central European conditions. Different conditions in other parts of the world may lead to deviations in results achieved.

COLORS OF THE SERIES

Viola wittrockiana F₁ Inspire® Plus



Beaconsfield
VW0201R/E



Blue Blotch
VW0202R/E



Blue Velvet
VW0203R/E



Blueberry Lemon
VW0228R/E



Fire Surprise
VW0223R/E



**Lavender Blotch
Shades**
VW0205R/E



Lemon
VW0208R/E



Lemon Blotch
VW0204R/E



Light Blue
VW0218R/E



Marina
VW0206R/E



Marina Lavender
VW0226R/E



Metallic Blue Blotch
VW0219R/E



Orange
VW0212R/E



Orange Blotch
VW0213R/E



Pink Shades
VW0220R/E



Red Blotch
VW0215R/E



Scarlet
VW0224R/E



True Blue
VW0210R/E



Violet
VW0221R/E



Violet Face
VW0216R/E



White
VW0214R/E



White Blotch
VW0217R/E



Yellow
VW0209R/E



Yellow Blotch
VW0207R/E



Yellow Purple Wing
VW0211R/E



Blotch Mix
VW0288R/E



Blueberry Pie Mix
VW0293E



Clear Mix
VW0289R/E



Jack-o-Lantern Mix
VW0290E



Limoncello Mix
VW0294E



Mardi Gras Mix
VW0296E



Maxi Mix
VW0299R/E



Summer Skies Mix
VW0292E



Sun'n Surf Mix
VW0298E



Sunny Day Mix
VW0297E



Wine Country Mix
VW0291E