

Viola wittrockiana F₁

Inspire® DeluXXe

Yellow Blotch

Item no.: VW0613R/E



Leading series in extra large-flowered Pansies

- Huge, early and long lasting flowers
- Unmatched uniformity in habit and timing
- Superior outdoor performance
- Perfect for late summer / early fall production

Technical Guide: Click here

All information in our technical guide is based on our own trials and would therefore be as guideline only. Detailed cultivation aspects vary depending on climate, location, time of year and environmental conditions. Benary expressly disclaims any responsibility for the content of such data/information and makes no representation or warranty for the cultivation of any products listed. It is recommended that growers conduct a trial of products under their own conditions.

Crop Time	Autumn: 12 - 14 weeks
Height Ø	7"/18 cm
Width Ø	7"/18 cm
Exposure	Sun
Seed Form	Raw Seed, BeGreen Priming
Product Use	Bedding, Landscape



TECHNICAL GUIDE

Viola wittrockiana F₁ Inspire® DeluXXe

Usage

Packs, Pots, Mixed Containers and Landscape/Mass plantings

Sowing method

1 seed per plug

Germination

Optimum conditions for seedling development, beginning on the day of sowing until radicle emergence. Expect radicle emergence in 2-4 days.

Temperature

65-68 $^{\circ}$ F (18-20 $^{\circ}$ F) until radicle emergence, then lower the temperature gradually to 62-65 $^{\circ}$ F (17-18 $^{\circ}$ C).

Fertilization

Begin feeding early using a calcium based fertilizer at lower rates to keep the an adequate amount of calcium and nitrogen supplied to the seedlings. On days 5-7 begin feeding with a calcium based fertilizer (14-2-14, 13-2-13, 15-5-15, 17-5-17) at 50-60 ppm. Maintain the EC between 0.5 and 0.75. Keep phosphorous levels between 6-8 ppm and boron supplied at 0.5 ppm.

 $Stage\ I\ Starts\ with\ the\ radicle\ breaking\ through\ the\ testa.\ The\ roots\ are\ touching\ the\ medium.\ Ends\ with\ fully\ developed\ cotyledons.$

Stage II Starts from fully developed cotyledons. Ends with the fully developed true leaf or true leaf pair.

Stage III Starts from the fully developed true leaf or true leaf pair and ends with 80% of the young plants being marketable.

Stage IV All young plants are ready for sale and in the process of being hardened off. This stage lasts about 7 days.

The cultural recommendations are based on results from trials conducted under Central European conditions. Different conditions in other parts of the world may lead to deviations in results achieved.



COLORS OF THE SERIES

Viola wittrockiana F₁ Inspire® DeluXXe



White VW0610R/E



White Blotch VW0611R/E



Light Rose Blotch VW0614R/E



Ocean VW0604R/E



Pink Surprise Blotch VW0606R/E



Yellow VW0612R/E



Yellow Blotch VW0613R/E



Orange VW0615R/E



Red Blotch VW0605R/E



Deep Rose Blotch VW0607R/E



Rose Velour VW0608R/E



White Violet Wing VW0609R/E



Blue Surprise VW0601R/E



Deep Blue Blotch VW0602R/E



Denim VW0603R/E



Blotch Mix VW0698R/E



Maxi Mix VW0699R/E