



1. [Home](#)

Eucalyptus pulverulenta

Baby Blue Bouquet

Excellent for Cut Flower Production

- True cut flower type with uniform shoots
- Small, silvery-grey and round leaves
- Short internodes
- High germination (85%+)
- True-To-Type tested

[Bookmark](#)

[Recommend](#)

[Print](#)

Crop Time

Spring: 15 - 18 weeks

Height ?

49 ? / 125 cm

Width ?

9 ? / 23 cm

Exposure

Sun

Seed Form

Raw Seed

Hardiness Zone

conditionally hardy

Best Uses

Cutflower

Culture guide

Germination

7-14 days

Growing on

Maintain temperature of 76 °F (24 °C). Cover seed with a light layer of medium vermiculite.

Stage I Starts with the radicle breaking through the testa. The roots are touching the medium. Ends with fully developed cotyledons.

Stage II Starts from fully developed cotyledons. Ends with the fully developed true leaf or true leaf pair.

Stage III Starts from the fully developed true leaf or true leaf pair and ends with 80% of the young plants being marketable.

Stage IV All young plants are ready for sale and in the process of being hardened off. This stage lasts about 7 days.

The cultural recommendations are based on results from trials conducted under Central European conditions. Different conditions in other parts of the world may lead to deviations in results achieved.

[Download](#)