



Attracts many Beneficial Insects



1. [Home](#)

Verbena bonariensis

Vanity

- Compact sister of Finesse®
- Excellent branching
- Heat and rain tolerant
- Long flowering season until frost
- Suitable for borders, containers and landscaping

Technical Guide: [Click here](#)

All information in our technical guide is based on our own trials and would therefore be as guideline only. Detailed cultivation aspects vary depending on climate, location, time of year and environmental conditions. Benary expressly disclaims any responsibility for the content of such data/information and makes no representation or warranty for the cultivation of any products listed. It is recommended that growers conduct a trial of products under their own conditions.

- AAS WINNER
- FLEUROSELECT GOLD MEDAL
- FLEUROSELECT APPROVED NOVELTY

[Bookmark](#)

[Recommend](#)

[Print](#)

Crop Time

Spring: 12 - 14 weeks

Height ?

35 ? / 90 cm

Width ?

20 ? / 50 cm

Exposure

Sun - Partial shade

Seed Form

ApeX

Best Uses

Landscape

Culture guide

Usage

Border plant, containers, landscape – ideal for mixtures

Sowing method

3-5 seeds per plug for 12-19 cm pots, 1-2 seeds per plug for 9-12 cm pots, direct sowing is also possible. Cover the seeds thinly with vermiculite.

Germination

Maintain optimal conditions for seedling development, should begin on the day of sowing until root emergence. Expect the emergence of the first seedlings after 14 days. Avoid a high humidity.

Growing on

Facultative long day plant, flowering more quickly under a long day length. Typical cultivation as a flowering annual that flowers from June to late October.

Media

Use a well-drained, pre-fertilized growing substrate with 20-30 % clay. pH 5.8-6.2; E.C. 1.2-1.5. In field Verbena likes a humus, sandy-loamy soil with good drainage

Temperature

20-22 °C for germinating. The seedlings should be grown at an average temperature of 18 °C.

Fertilization

Verbena requires a high fertilization level with a weekly dose of nitrogen. Also a good potassium level is important. But avoid high ammonium or nitrogen levels during the growing.

[Download](#)