

Campanula carpatica F₁

Pearl

Deep Blue

Item no.: CC2001P



- FastraX perennial: First year flowering without vernalization
- Significantly earlier flowering
- Short crop time
- Popular, hardy perennial
- Narrow flowering window

Technical Guide: [Click here](#)

All information in our technical guide is based on our own trials and would therefore be as guideline only. Detailed cultivation aspects vary depending on climate, location, time of year and environmental conditions. Benary expressly disclaims any responsibility for the content of such data/information and makes no representation or warranty for the cultivation of any products listed. It is recommended that growers conduct a trial of products under their own conditions.

Crop Time	Spring: 20 - 24 weeks
Height ☞	7 " / 18 cm
Width ☞	7 " / 18 cm
Exposure	Sun - Partial shade
Seed Form	Pelleted Seed
Heat Zone	9-5
Hardiness Zone	3a-8a
Best Uses	Bedding, Landscape, Rockery

CULTURE GUIDE

Campanula carpatica F₁ Pearl

Usage

Pots, Hanging Baskets, Mixed Containers and Landscape

Sow time

January – February

Sowing method

Raw seed: sow 6-8 seeds / plug; Pelleted seed: sow 2-3 pellets / plug

Germination

Optimum conditions for seedling development, beginning on the day of sowing until radical emergence. Expect radicle emergence in 10-12 days.

No cover is necessary.

Temperature

68-72 °F (20-22 °C) day temperature, 61 °F (18 °C) night temperature. The fluctuation between day and night temperatures will aid in the germination. By day 14 the temperature can be maintained at 64-68 °F (17-20 °C).

Fertilization

Sensitive to high EC in the early stages so maintain EC less than 0.5 for the first 10-14 days until germination is complete.

Stage I Starts with the radicle breaking through the testa. The roots are touching the medium. Ends with fully developed cotyledons.

Stage II Starts from fully developed cotyledons. Ends with the fully developed true leaf or true leaf pair.

Stage III Starts from the fully developed true leaf or true leaf pair and ends with 80% of the young plants being marketable.

Stage IV All young plants are ready for sale and in the process of being hardened off. This stage lasts about 7 days.

The cultural recommendations are based on results from trials conducted under Central European conditions. Different conditions in other parts of the world may lead to deviations in results achieved.

COLORS OF THE SERIES

Campanula carpatica F₁ Pearl



Deep Blue
CC2001P



White
CC2002P