

Koeleria glauca

# Bluey



- Numerous, short flower spikes on compact, bluish foliage
- Drought tolerant, for sandy soils
- Water-wise, low maintenance grass for landscaping

<b>Crop Time</b>	Spring: 14 - 16 weeks
<b>Height</b> <small>Ø</small>	26 " / 65 cm
<b>Width</b> <small>Ø</small>	18 " / 45 cm
<b>Exposure</b>	Sun - Partial shade
<b>Seed Form</b>	Raw Seed
<b>Hardiness Zone</b>	4-9
<b>Best Uses</b>	Landscape

## CULTURE GUIDE

Koeleria glauca Bluey

### Sowing method

4-6 seeds per plug.

### Germination

Optimum conditions for seedling development, beginning on the day of sowing until radicle emergence. Expect germination in 6-10 days.

### Temperature

Plug culture: 20-22 °C (68-72 °F) until radicle emergence, then reduce to 18-20 °C (64-68 °F) during day and night.

Growing on: 15-18 °C (58-64 °F) during day and night. Cooler temperatures support a compact, round plant habit in pots.

Moisture: Very drought tolerant plant

---

Stage I Starts with the radicle breaking through the testa. The roots are touching the medium. Ends with fully developed cotyledons.

Stage II Starts from fully developed cotyledons. Ends with the fully developed true leaf or true leaf pair.

Stage III Starts from the fully developed true leaf or true leaf pair and ends with 80% of the young plants being marketable.

Stage IV All young plants are ready for sale and in the process of being hardened off. This stage lasts about 7 days.

The cultural recommendations are based on results from trials conducted under Central European conditions. Different conditions in other parts of the world may lead to deviations in results achieved.

## COLORS OF THE SERIES

Koeleria glauca Bluey



KG0101R