



Eragrostis spectabilis

# Snuggly



- Coarsely-textured foliage with compact growth
- Drought tolerant, for sandy soils
- Showy, easy-care grass for landscape plantings
- Optimal storage: up to 6 months at 5 °C / 41 °F

<b>Crop Time</b>	Spring: 12 - 14 weeks
<b>Height</b> 	22 " / 55 cm
<b>Width</b> 	22 " / 55 cm
<b>Exposure</b>	Sun - Partial shade
<b>Seed Form</b>	BeGreen ApeX Pelleted
<b>Hardiness Zone</b>	5-10
<b>Product Use</b>	Landscape
<b>Foliage Color</b>	Green
<b>Plume Color</b>	Green

## TECHNICAL GUIDE

Eragrostis spectabilis Snuggy

### Plug Culture

**Germination:** Optimum conditions for seedling development, beginning on the day of sowing until radicle emergence. Expect germination in 10-14 days.

**Cover:** No cover is required.

**Sowing method:** 4-6 seeds per plug.

**Media:** pH 5.5-6.2; EC <0.7

**Temperature:** 22-24 °C (72-76 °F) until radicle emergence, then reduce to 18-20 °C (64-68 °F) during day and night.

**Moisture:** Begin with a wet (4) for the first two weeks. Then alternate between moisture levels moist (3) and dry (1) to maintain a good wet to dry cycle. Avoid overwatering.

**Light:** Light is required for germination. Provide light levels of 30,000 lx which can be increased to 50,000 lx before transplanting.

**Fertilizer:** Maintain an EC <0.7. Use a nitrate-based fertilizer with low phosphorus. Feeding should start <100 ppm N and gradually work up to 100-175 ppm N.

**Growth Regulators:** Not required.

### Growing On

**Media:** pH 5.5-6.2; EC 1.0-1.2

**Temperature:** Cooler temperatures promote a compact, round plant habit in pots. Warmer temperatures shorten the crop time.

**Moisture:** A rather dry cultivation in a welldrained soil is recommended to keep the plants healthy. Avoid overwatering.

**Light:** High light levels and long days are required to force plants into plume.

**Fertilizer:** Regular fertilization is not needed. If desired, a light application of a balanced fertilizer can be used.

**Growth Regulators:** Not required.

**Pests & Diseases:** Aphids, leaf spot.

### Timing & Positioning Charts

Plug Crop Time	
288 tray	6-7 wks
Finished Crop Time (from 288 tray)	
10-12 cm (4-5") pots (1*)	6-7 wks
15-19 cm (6-7") pots (3*)	7-8 wks

\*plants per pot

### Moisture Codes

**Saturated (5)** Water is easily observed when finger is pressed on cell. Water moves freely from the top of the plug to the bottom.

**Wet (4)** Media looks black and is not glistening. The media feels wet to the touch but there is very little water movement.

**Moist (3)** Water is not easily visible. When finger is pressed on the cell there is very little movement from top to bottom.

**Medium (2)** Media is not black, but now looks medium brown. There is no water movement when pressed with finger.

**Dry (1)** Media has changed color to a very light brown and is dry to the touch.

All information in our technical guide is based on our own trials and would therefore be as guideline only. Detailed cultivation aspects vary depending on climate, location, time of year and environmental conditions. Benary expressly disclaims any responsibility for the content of such data/information and makes no representation or warranty for the cultivation of any products listed. It is recommended that growers conduct a trial of products under their own conditions.

## COLORS OF THE SERIES

Eragrostis spectabilis Snuggy



ES0101P