



Eragrostis elliotii

Lovey

Item no.: EE0101P



- Fine-textured and airy flower heads
- Drought resistant
- Warm climate grass with vigorous growth for landscaping
- Optimal storage: up to 6 months at 5 °C / 41 °F

Technical Guide: Click here

All information in our technical guide is based on our own trials and would therefore be as guideline only. Detailed cultivation aspects vary depending on climate, location, time of year and environmental conditions. Benary expressly disclaims any responsibility for the content of such data/information and makes no representation or warranty for the cultivation of any products listed. It is recommended that growers conduct a trial of products under their own conditions.

Crop Time	Spring: 10 - 12 weeks
Height ∅	55 " / 140 cm
Width Ø	22 " / 55 cm
Exposure	Sun - Partial shade
Seed Form	BeGreen ApeX Pelleted
Best Uses	Landscape



CULTURE GUIDE

Eragrostis elliotii Lovey

Sowing method

4-5 seeds per plug.

Germination

Optimum conditions for seedling development, beginning on the day of sowing until radicle emergence. Expect germination in 3-6 days.

Temperature

Plug culture: 22-24°C (72-76 °F) until radicle emergence, then reduce to 18-20 °C (64-68 °F) during day and night.

Growing on: Cooler temperatures up to a minimum of 10 °C (50 °F) promote a compact, round plant habit in pots, but the crop time will increase significantly. Warmer temperatures shorten the crop time.

Stage I Starts with the radicle breaking through the testa. The roots are touching the medium. Ends with fully developed cotyledons. Stage II Starts from fully developed cotyledons. Ends with the fully developed true leaf or true leaf pair.

 $Stage III \ Starts \ from \ the fully \ developed \ true \ leaf \ pair \ and \ ends \ with \ 80\% \ of \ the \ young \ plants \ being \ marketable.$

Stage IV All young plants are ready for sale and in the process of being hardened off. This stage lasts about 7 days.

The cultural recommendations are based on results from trials conducted under Central European conditions. Different conditions in other parts of the world may lead to deviations in results achieved.



COLORS OF THE SERIES

Eragrostis elliotii Lovey

