

Eryngium planum

# **Glitter**



- FastraX perennial: First year flowering without vernalization
- Long lasting, spiny flowers on vigorous plants
- Structural plant for floral arrangements
- Thrives under hot and dry conditions

Crop Time	Spring: 22 - 24 weeks
Height ∅	37 " / 95 cm
Exposure	Sun
Seed Form	Raw Seed
<b>Heat Zone</b>	12-1
Hardiness Zone	4-8
<b>Product Use</b>	Bedding, Cutflower, Landscape



### **TECHNICAL GUIDE**

Eryngium planum Glitter

#### Usage

Perennial, first year flowering. Cutflower, large containers, perennial borders, attractive for bees and butterflies

#### Sow time

December-March for flowering plants from June-August; July-August for larger flowering plants in the following year

#### Sowing method

1-2 seeds per plug

#### Germination

7-10 days at temperatures of 72-75 °F (22-24 °C) under lights.

#### **Growing on**

Grow on at 60-70 °F (15-21 °C). Fertilize at 50-100 ppm nitrate nitrogen after initial transplant, increasing to 100-150 ppm once plants are well established.

#### Media

Use a well-drained, growing perennial substrate, pH: 6.0-7.5. Field: humus, sandy loamy soils with good drainage.

#### **Temperature**

Grow at 15-18 °C / 59-64 °F or outdoors. In winter indoors frost free at 3-5 °C / 37-41 °F or outdoors. Outdoor fleece cover needed. In spring the plants start to grow at 12-18 °C / 54-64 °F or outdoors at ambient conditions. Containers can be stored in cold storage and set up in intervals for forcing afterwards.

#### **Fertilization**

High fertilization levels are required.

Stage I Starts with the radicle breaking through the testa. The roots are touching the medium. Ends with fully developed cotyledons.

 $Stage\ II\ Starts\ from\ fully\ developed\ cotyledons.\ Ends\ with\ the\ fully\ developed\ true\ leaf\ pair.$ 

 $Stage\ III\ Starts\ from\ the\ fully\ developed\ true\ leaf\ or\ true\ leaf\ pair\ and\ ends\ with\ 80\%\ of\ the\ young\ plants\ being\ marketable.$ 

Stage IV All young plants are ready for sale and in the process of being hardened off. This stage lasts about 7 days.

The cultural recommendations are based on results from trials conducted under Central European conditions. Different conditions in other parts of the world may lead to deviations in results achieved.



## **COLORS OF THE SERIES**

Eryngium planum Glitter





White EP4101R

Blue EP4102R