



Open Panicles with Lighter Spikelets



1. [Home](#)

Festuca glauca

## Freddy

- Blue-green leaves
- Tuft-forming habit
- Evergreen grass
- Minimum germination: 75%

[Bookmark](#)

[Recommend](#)

[Print](#)

**Crop Time**

Spring: 14 - 16 weeks

**Height ?**

16 ? / 40 cm

**Exposure**

Sun

**Seed Form**

Raw Seed

**Heat Zone**

undetermined

**Hardiness Zone**

4-8

**Best Uses**

Landscape, Rockery

## Culture guide

**Usage**

Foliage plant, heath and rock garden, roof coverage, graveyard plantings, soil coverage

**Sow time**

February-April

**Sowing method**

6-10 seeds in plugs

**Germination**

7 days at 41-50 °F (5-10 °C), then 68-77 °F (20-25 °C) for an additional 3-5 weeks until germinated.

## **Growing on**

Grow on at 50-65 °F (10-18 °C)

## **Media**

Sandy humus, minerals and small grit, pH-value: 5.5-7.5

## **Temperature**

10-18 °C.

## **Fertilization**

Low fertilization levels are required. Over fertilization will result in weak flower stems.

---

Stage I Starts with the radicle breaking through the testa. The roots are touching the medium. Ends with fully developed cotyledons.

Stage II Starts from fully developed cotyledons. Ends with the fully developed true leaf or true leaf pair.

Stage III Starts from the fully developed true leaf or true leaf pair and ends with 80% of the young plants being marketable.

Stage IV All young plants are ready for sale and in the process of being hardened off. This stage lasts about 7 days.

The cultural recommendations are based on results from trials conducted under Central European conditions. Different conditions in other parts of the world may lead to deviations in results achieved.

[Download](#)