

Lupinus polyphyllus

# Lupini



- FastraX perennial: First year flowering without vernalization
- Early flowering in late spring
- Genetically compact habit

Crop Time	Spring: 16 - 18 weeks
Height ∅	11 " / 28 cm
Exposure	Sun - Partial shade
Seed Form	ApeX
<b>Heat Zone</b>	undetermined
Hardiness Zone	4a-7a
Best Uses	Bedding, Pot Plant



## **CULTURE GUIDE**

Lupinus polyphyllus Lupini

#### Sow time

January

#### Germination

14-20 days

#### **Temperature**

60 °F (15 °C)

Stage I Starts with the radicle breaking through the testa. The roots are touching the medium. Ends with fully developed cotyledons.

Stage II Starts from fully developed cotyledons. Ends with the fully developed true leaf or true leaf pair.

Stage III Starts from the fully developed true leaf or true leaf pair and ends with 80% of the young plants being marketable.

Stage IV All young plants are ready for sale and in the process of being hardened off. This stage lasts about 7 days.

The cultural recommendations are based on results from trials conducted under Central European conditions. Different conditions in other parts of the world may lead to deviations in results achieved.



# **COLORS OF THE SERIES**

## Lupinus polyphyllus Lupini





LP0103T



LP0104T







White LP0105T

Yellow Shades LP0102T

MIX LP0199T